

Number: VNMH23001333 Date: March 9, 2023

Applicant: QUINS GROUP PTY LTD

2/243a, Sunshine Rd, Tottenham VIC 3012 Australia

Sample description:

One (01) pieces of submitted sample said to be:

Zig Zag Racing cars Sample description

Item Number/Style No. : 470/674 Labeled age group 3+ Age grade for testing 3+

Buyer name Kidsworld Co., Ltd

Country of origin Vietnam Country of destination : Australia March 3, 2023 Date sample received

Test period March 6, 2023 to March 9, 2023

Tests conducted: As requested by the applicant, please refer to attached page(s) for details.

For and on behalf of Intertek Vietnam LTD

LIEM MAI

Hardlines Manager





Number: VNMH23001333 Date: March 9, 2023

Conclusion:

| <u>No.</u> | Requirement | <u>Result</u> |
|------------|---|---------------|
| (1) | ASTM F963-17 -Physical and mechanical tests | Pass |
| (2) | EN71-1: 2014 + A1: 2018 -Mechanical and physical properties | Pass |
| <u>(3)</u> | Australian/New Zealand Standard AS/NZS ISO 8124.1: 2019 + AMD1:2022 + AMD2:2020 - Physical and mechanical tests | Pass |



Number: VNMH23001333 Date: March 9, 2023

Test conducted

1. Physical And Mechanical Tests

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

Age group for testing: 3+

The submitted samples were undergone the use and abuse tests in accordance with the Federal Hazardous Substances Act (FHSA), Title 16, Code of Federal Regulation:

Test FHSA Parameter Impact test Section 1500.51 (b) 4 x 3.0 ft Section 1500.53 (e) Torque test 4 in-lbf Section 1500.53 (f) 15 lbf Tension test 30 lbf Section 1500.53 (g) Compression test

| Section | Testing items | Assessment |
|---------|---|------------|
| 4.1 | Material quality (visual check on cleanliness) | Р |
| 4.5 | Sound-producing toys | NA |
| 4.6.1 | Toys intended for children under 36 months (small objects) | P (#1) |
| 4.6.2 | Mouth-actuated toys | NA |
| 4.6.3 | Toys and games for 36 months to 72 months (small part warning) | NA |
| 4.7 | Accessible edges | Р |
| 4.8 | Projections | Р |
| 4.9 | Accessible Points | Р |
| 4.10 | Wires and rods | NA |
| 4.11 | Nails and fasteners | Р |
| 4.12 | Plastic Film | NA |
| 4.13 | Folding mechanisms and hinges | NA |
| 4.14 | Cords and elastics in toys | NA |
| 4.15 | Stability and over-load requirement | NA |
| 4.16 | Confined spaces | NA |
| 4.17 | Wheel, tires, and axels | Р |
| 4.18 | Holes, clearances and accessibility of mechanisms | NA |
| 4.19 | Simulated protective devices, such as helmets, hats and goggles | NA |
| 4.20 | Pacifiers | NA |
| 4.21 | Projectile toys | NA |
| 4.22 | Teethers and teething toys | NA |
| 4.23 | Rattles | NA |
| 4.24 | Squeeze toys | NA |
| 4.25 | Battery-operated toys | NA |
| 4.26 | Toys intended to be attached to a crib or playpen | NA |
| 4.27 | Stuffed and beanbag-type toys | NA |
| 4.28 | Stroller and carriage toys | NA |
| 4.29 | Art materials | NA |
| 4.30 | Toy gun marking | NA |
| 4.31 | Balloons | NA |
| 4.32 | Certain toys with nearly spherical ends | NA |

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,

Intertek Vietnam





Number: VNMH23001333 Date: March 9, 2023

| Section | Testing items | Assessment |
|---------|---|------------|
| 4.33 | Marbles | NA |
| 4.34 | Balls | NA |
| 4.35 | Pompoms | NA |
| 4.36 | Hemispheric-shaped objects | NA |
| 4.37 | Yoyo elastic tether toys | NA |
| 4.38 | Magnets | NA |
| 4.39 | Jaw entrapment in handles and steering wheels | NA |
| 4.40 | Expanding materials | NA |
| 4.41 | Toy chest | NA |
| 5 | Labelling requirement | P (#1) |
| 6 | Instructional literature | P (#1) |
| 7 | Producer's markings | - |
| 7.1 | Producer's markings | |
| | -Name of producer/distributor (Toy/Package) | Yes (#1) |
| | -Address | No |
| 7.2 | Battery-powered ride-on toy | NA |
| 7.3 | Toy chests | NA |

Remark:

The submitted samples were undergone the tests in accordance with section 8.5 through section 8.17 and 8.19 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

#1 Only the electronic copy of label, artwork was provided.

P = Pass;NA = Not applicable





Number: VNMH23001333 Date: March 9, 2023

Mechanical and Physical

Test Standard: European Standard on Safety of toys EN71-1: 2014 + A1:2018

Age group for testing: 3+

| The submit | The submitted samples were undergone the following abuse tests: | | |
|------------|---|--|--|
| Clause | <u>Testing items</u> | | |
| 8.3 | Torque test (0.34 Nm) | | |
| 8.4.2.1 | Tension test (90 N) | | |
| 8.4.2.2 | Seams and materials (70 N) | | |
| 8.5 | Drop test (850 mm x 5) | | |
| 8.7 | Impact test (1 kg) | | |
| 8.8 | Compression test (110 N) | | |

| Section | Testing items | Assessment |
|---------|--|------------|
| 4 | General requirements | - |
| 4.1 | Material Clean | Р |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 | Edges | Р |
| 4.8 | Points and metallic wires | Р |
| 4.9 | Protruding parts | Р |
| 4.10 | Parts moving against each other | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 | Balloons | NA |
| 4.13 | Cords of toy kites and other flying toys | NA |
| 4.14 | Enclosures | NA |
| 4.15 | Toys intended to bear the mass of a child | NA |
| 4.16 | Heavy immobile toys | NA |
| 4.17 | Projectiles | NA |
| 4.18 | Aquatic toys and inflatable toys | NA |
| 4.19 | Percussion caps specifically designed for use in toys and toys using percussion caps | NA |
| 4.20 | Acoustics | NA |
| 4.21 | Toys containing non-electrical heat source | NA |
| 4.22 | Small balls | NA |
| 4.23 | Magnets | NA |
| 4.24 | Yo-yo balls | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27 | Flying toys | NA |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirements for children under 36 months | NA |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | NA |
| 5.3 | Plastic sheeting | NA |
| 5.4 | Cords, chains and electrical cables in toys | NA |

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,

Intertek Vietnam Ltd.





Number: VNMH23001333 Date: March 9, 2023

| Section | Testing items | Assessment |
|---------|---|------------|
| 5.5 | Liquid filled toys | NA |
| 5.6 | Speed limitation of electrically-driven ride-on toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size of certain toys | NA |
| 5.9 | Toys comprising monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric-shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |
| 7 | Warnings, markings and instructions for use | - |
| 7.1 | General | P (#1) |
| 7.2 | Toys not intended for children under 36 months | P (#1) |
| 7.3 | Latex balloons | NA |
| 7.4 | Aquatic toys | NA |
| 7.5 | Functional toys | NA |
| 7.6 | Hazardous sharp functional edges and points | NA |
| 7.7 | Projectiles | NA |
| 7.8 | Imitation protective masks and helmets | NA |
| 7.9 | Toy kites | NA |
| 7.10 | Roller skates, inline skates and skateboards and certain other ride-on toys | NA |
| 7.11 | Toys intended to be attached to strung across a cradle, cot, or perambulator | NA |
| 7.12 | Liquid-filled teethers | NA |
| 7.13 | Percussion caps specifically designed for use in toys | NA |
| 7.14 | Acoustics | NA |
| 7.15 | Toy bicycles | NA |
| 7.16 | Toys intended to bear the mass of a child | NA |
| 7.17 | Toys comprising monofilament fibres | NA |
| 7.18 | Toy scooters | NA |
| 7.19 | Rocking horses and similar toys | NA |
| 7.20 | Magnetic/electrical experimental sets | NA |
| 7.21 | Toys with electrical cables exceeding 300 mm in length | NA |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | NA |
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | NA |
| 7.24 | Sledges with cords for pulling | NA NA |
| 7.25 | Flying toys | NA NA |
| 7.26 | Improvised projectiles | NA NA |

Remark: P = Pass;NA = Not applicable

> The submitted samples were undergone the abuse tests for Clause 5.1 and 5.2 in according to 8.3 (Torque test), 8.4 (Tension test): 8.4.2.1 (Tension test at 90N) and 8.4.2.2 (Seams and materials at 70N), 8.5 (Drop test), 8.7 (Impact test), 8.8 (Compression test) and specific tests

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,

Intertek Vietnam





Number: VNMH23001333 Date: March 9, 2023

for different types of toys whichever is applicable.

#1 Only the electronic copy of label, artwork was provided.

#1 Below is additional information according to the Toy Safety Directives 2009/48/EC requirement. This information is also appears in annex A.33 of the EN 71 but are not standard requirements:

Marking: The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packaging shall also bear the CE-marking.

After checking, it was found that:

| | Toy | Packaging |
|-----------------------------|--------|-----------|
| Manufacturer's name | | Present |
| Manufacturer's address | | Absent |
| Importer's name | A1 | Absent |
| Importer's address | Absent | Absent |
| Product identification code | | Present |
| CE-marking | | Absent |



Number: VNMH23001333 Date: March 9, 2023

3. Physical and Mechanical test

Test standard: Australian/New Zealand Standard AS/NZS ISO 8124.1:2019 + AMD 1: 2020 + AMD 2: 2020 safety aspects related to mechanical and physical properties.

Age group for testing: 3+

The submitted samples were undergone the normal use and the following reasonable foreseeable abuse tests in accordance with the clause 5.24 of AS/NZS ISO 8124.1:2019 + AMD 1: 2020 + AMD 2: 2020 before the assessment of the relevant requirement in clause 4:

| <u>Clause</u> | <u>Test</u> | <u>Parameter</u> |
|---------------|------------------|------------------|
| 5.24.2 | Drop test | 4x93±5 cm |
| 5.24.5 | Torque test | 0.45±0.02Nm |
| 5.24.6 | Tension test | 70±2N |
| 5.24.7 | Compression test | 136±2N |

| Section | Testing items | Assessment |
|---------|---|------------|
| 4.1 | Normal use | Р |
| 4.2 | Reasonably foreseeable abuse | Р |
| 4.3 | Material | Р |
| 4.4.1 | Small parts | Р |
| 4.4.2 | Small part warning | NA |
| 4.5 | Shape, size and strength of certain toys | NA |
| 4.6 | Edges | Р |
| 4.7 | Points | Р |
| 4.8 | Projections | Р |
| 4.9 | Metal wires and rods | NA |
| 4.10 | Plastic film or plastic bags in packaging and in toys | NA |
| 4.11 | Cords and elastic | NA |
| 4.12 | Folding mechanisms | NA |
| 4.13 | Holes, clearances and accessibility of mechanisms | NA |
| 4.14 | Springs | NA |
| 4.15 | Stability and overload requirement | NA |
| 4.16 | Enclosures | NA |
| 4.17 | Simulated protective equipment, such as helmets, hats and goggles | NA |
| 4.18 | Projectile toys | NA |
| 4.19 | Flying toys | NA |
| 4.20 | Aquatic toys | NA |
| 4.21 | Braking | NA |
| 4.22 | Toy bicycles | NA |
| 4.23 | Speed limitation of electrically driven ride-on toys | NA |
| 4.24 | Toys containing a heat source | NA |
| 4.25 | Liquid-filled toys | NA |
| 4.26 | Mouth-actuated toys | NA |
| 4.27 | Toy roller skates, toy inline skates and toy skateboards | NA |
| 4.28 | Percussion caps | NA |
| 4.29 | Acoustic requirements | NA |

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)

Intertek Vietnam Ltd.

Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,





Number: VNMH23001333 Date: March 9, 2023

| <u>Section</u> | <u>Testing items</u> | <u>Assessment</u> |
|----------------|---|-------------------|
| 4.30 | Toy scooters | NA |
| 4.31 | Magnets and magnetic components | NA |
| 4.32 | Yo-yo balls | NA |
| 4.33 | Straps intended to be worn fully or partially around the neck | NA |
| 4.34 | Sledges and toboggans with cords for pulling | NA |
| 4.35 | Jaw entrapment in handles and steering wheels | NA |
| 4.36 | Assembly | NA |
| Annex B | Safety labeling guidelines and manufacturer's markings | - |
| B.2 | Safety-labeling guidelines | |
| B.2.1 | Label definition and location | YES (#1) |
| B.2.2 | Age grading | YES (#1) |
| B.2.3 | Small toys and toys containing small parts | YES (#1) |
| B.2.4 | Balloons | NA |
| B.2.5 | Small balls and marbles | NA |
| B.2.6 | Aquatic toys | NA |
| B.2.7 | Crib, playpen toys and mobiles | NA |
| B.2.8 | Toys in contact with food | NA |
| B.2.9 | Toys intended to be assembled by an adult | NA |
| B.2.10 | Crib gyms and similar toys | NA |
| B.2.11 | Simulated protective equipment | NA |
| B.2.12 | Toys with functional sharp edges and functional sharp point | NA |
| B.2.13 | Functional toys | NA |
| B.2.14 | Toy roller skates and toy skateboards | NA |
| B.2.15 | Projectile toys | NA |
| B.2.16 | Toy kites | NA |
| B.2.17 | Toy bicycles | NA |
| B.2.18 | Percussion caps | NA |
| B.2.19 | Toys which produce high impulsive noise | NA |
| B.2.20 | Toy scooters | NA |
| B.2.21 | Magnetic/electrical experimental sets for children 8 years and over | NA |
| B.2.22 | Toys with electrical cables exceeding 300 mm in length | NA |
| B.2.23 | Toys with cord intended for children 18 months and over but under 36 months | NA |
| B.2.24 | Sledges and toboggans with cord for pulling | NA |
| B.2.25 | Toys intended to be attached to a cradle, cot, perambulator or carriage | NA |
| B.3 | Instructional and literature | |
| B.3.1 | Information and instruction | YES (#1) |
| B.3.2 | Crib, playpen toys and mobiles | NÀ |
| B.3.3 | Crib gyms and similar toys | NA |
| B.3.4 | Toy chest | NA |
| B.3.5 | Liquid-filled teethers and liquid filled teething toys | NA |
| B.3.6 | Toys intended to be assembled by an adult | NA |
| B.4 | Manufacturer's markings | YES (#1) |
| Annex D | Toy gun marking | NÀ |

Intertek Vietnam Ltd.

(This Report Shall Not Be Reproduced Wholly Or In Parts Without Written Approval From The Laboratory)
Hanoi office: 3rd, 4th Floor, Au Viet Building, No. 01 Le Duc Tho Street,
Mai Dich Ward, Cau Giay District, Hanoi.
Hochiminh office: 5th, 6th, 7th floor, Hall D, S.O.H.O Biz Building, 38 Huynh Lan Khanh Street, Ward 2, Tan Binh District, Ho Chi Minh City, Vietnam.
(Note: Floor in the evaluator mentioned 6,8,9).
Hardline Lab: 18 Cong Hoa Street, Ward 4, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: +84 8 62816898, Web: www.intertek.com





Number: VNMH23001333 Date: March 9, 2023

P = Pass Remark: NA = Not applicable

#1 Only the electronic copy of label, artwork was provided.

The submitted samples were undergone the tests in accordance with section 5.24 on normal use, abuse and specific tests for different types of toys whichever is applicable.



Intertek Vietnam


Ltd.



Number: VNMH23001333 Date: March 9, 2023

Photo of submitted sample





END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of Instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at http://www.intertek.com/terms

